

SERIP

Pathleaf Crescent Extra Large

REFERENCE AP1466/36



DESCRIPTION

Inspired by a dense path of random falling leaves. As a lighting wonder, the Pathleaf Collection exists in high contrast for a differential and artistic outcome. It is quite a dramatic collection, closely connected to its nature inspiration, presented almost as an art installation, being able to embrace different designs and extensions. The Pathleaf allows modular choices and indirect light, conveying a visual arrangement of great dynamism and an organic complement for wall and ceiling decorations, just like a real natural painting of organic sculpture. Ideal for decoration of walls and ceilings with an artistic expression.

Finish shown here Metal FO


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Width 100.00cm / 39.00in
Height 320.00cm / 126.00in
Depth 13.00cm / 5.00in
Weight 70.00kg / 154.00lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 1.18m x 1.00m x 1.20m
=1.42CBM
(in)Package 1/2 0.46in x 0.39in x 0.47in
=50.10ft³
(m)Package 2/2 1.18m x 1.00m x 1.20m
=1.20CBM
(in)Package 2/2 0.46in x 0.39in x 0.47in
=50.20ft³

ELECTRIC FEATURE

Installation Ceiling
IP degree IP 20

220-240V 50Hz-60Hz
Max Power Consumption 45W
Light Sources
36 x LED

Included Sources

Light Sources
36 x LED
Lumens 3348lm
Kelvin 3000
CRI 80
Dimming system 1-10V


110-120V 50Hz-60Hz
Max Power Consumption 45W
Light Sources
36 x LED

Included Sources

Light Sources
36 x LED
Lumens 3348lm
Kelvin 3000
CRI 80
Dimming system 1-10V

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

OPTIONAL FINISHES

METAL FINISHES



Talha (TA)



Black (PR)



Palladium
(PL)



Silver/White
Patina
(FP/PB)



Silver (FP)



Gold/White
Patina
(FO/PB)



Gold (FO)



Copper (CO)



Lead (CH)

SERIP