

# SERIP

## Pathleaf Crescent Large

REFERENCE AP1468/32



### DESCRIPTION

Inspired by a dense path of random falling leaves. As a lighting wonder, the Pathleaf Collection exists in high contrast for a differential and artistic outcome. It is quite a dramatic collection, closely connected to its nature inspiration, presented almost as an art installation, being able to embrace different designs and extensions. The Pathleaf allows modular choices and indirect light, conveying a visual arrangement of great dynamism and an organic complement for wall and ceiling decorations, just like a real natural painting of organic sculpture. Ideal for decoration of walls and ceilings with an artistic expression.

**Finish shown here** Metal FP


### Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

### Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

### TECHNICAL DRAWING



SERIP

## TECHNICAL SPECIFICATIONS

### MEASUREMENTS

#### FIXTURE SIZE & WEIGHT

**Width** 70.00cm / 28.00in  
**Height** 265.00cm / 104.00in  
**Depth** 13.00cm / 5.00in  
**Weight** 48.00kg / 106.00lb

#### PACKAGE SIZE & WEIGHT

**(m)Package 1/2** 1.18m x 1.00m x 1.20m  
=1.42CBM  
**(in)Package 1/2** 0.46in x 0.39in x 0.47in  
=50.10ft<sup>3</sup>

### ELECTRIC FEATURE

**Installation** Ceiling  
**IP degree** IP 20

**220-240V 50Hz-60Hz**  
**Max Power Consumption** 38W  
**Light Sources**  
32 x LED

#### Included Sources

**Light Sources**  
32 x LED  
**Lumens** 2976lm  
**Kelvin** 3000  
**CRI** 80  
**Dimming system** 1-10V


**110-120V 50Hz-60Hz**  
**Max Power Consumption** 38W  
**Light Sources**  
32 x LED

#### Included Sources

**Light Sources**  
32 x LED  
**Lumens** 2976lm  
**Kelvin** 3000  
**CRI** 80  
**Dimming system** 1-10V

### ENERGY RATING

This luminaire allows lights sources with energy efficiency class



### CERTIFICATIONS



### CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

# SERIP

## OPTIONAL FINISHES

### METAL FINISHES



Talha (TA)



Black (PR)



Palladium  
(PL)



Silver/White  
Patina  
(FP/PB)



Silver (FP)



Gold/White  
Patina  
(FO/PB)



Gold (FO)



Copper (CO)



Lead (CH)

# SERIP