

SERIP

Pathleaf Foliage Extra Large

REFERENCE PL372/68



DESCRIPTION

Inspired by a dense path of random falling leaves. As a lighting wonder, the Pathleaf Collection exists in high contrast for a differential and artistic outcome. It is quite a dramatic collection, closely connected to its nature inspiration, presented almost as an art installation, being able to embrace different designs and extensions. The Pathleaf allows modular choices and indirect light, conveying a visual arrangement of great dynamism and an organic complement for wall and ceiling decorations, just like a real natural painting of organic sculpture. Ideal for decoration of walls and ceilings with an artistic expression.

Finish shown here Metal FO+CO+TA+RO


Designed and produced by hand in Portugal.

Serip reserves the right to make changes or improvements at any time it deems useful to guarantee the highest quality standards for its products.

Hand-finished, some variations may occur.

All the glass models are designed by Serip and exclusively handmade produced, establishing a unique and prestigious feature of the glass handwork art. For this reason, there is the possibility of variation in measures, weight, colour and shape represented.

TECHNICAL DRAWING



SERIP

Serip is a registered trademark. Copyright © 2023 Mário J. Pires - Serip. All rights reserved

<http://www.serip.com.pt> | info@serip.com.pt | +351 212 488 840

(Call cost to national fixed network)

TECHNICAL SPECIFICATIONS

MEASUREMENTS

FIXTURE SIZE & WEIGHT

Diameter 210.00cm / 83.00in

Depth 13.00cm / 5.00in

Weight 134.00kg / 295.00lb

PACKAGE SIZE & WEIGHT

(m)Package 1/2 0.95m x 0.50m x 0.95m
=0.45CBM

(in)Package 1/2 0.37in x 0.20in x 0.37in
=15.90ft³

ELECTRIC FEATURE

Installation Ceiling

IP degree IP 20

220-240V 50Hz-60Hz

Max Power Consumption 85W

Light Sources

68 x LED

Included Sources

Light Sources

68 x LED

Lumens 6324lm

Kelvin 3000

CRI 80

Dimming system 1-10V

110-120V 50Hz-60Hz

Max Power Consumption 85W

Light Sources

68 x LED

Included Sources

Light Sources

68 x LED

Lumens 6324lm

Kelvin 3000

CRI 80

Dimming system 1-10V

ENERGY RATING

This luminaire allows lights sources with energy efficiency class



3000K



2700K

CERTIFICATIONS



CARE INSTRUCTIONS

Due to the nature of our exquisite hand applied finishes, wipe clean with a soft, dry cloth or static duster must be used to clean the fixture.

Always avoid the use of harsh chemicals or abrasive cleaners as they may cause damage to the fixture's finish.

Cleaning is limited to the outer surfaces, shades or glass. It is important to ensure that no moisture enters the terminal compartment or reaches any live parts.

As our products are subject to technical modifications, we cannot guarantee, that all information is always up to date. Please contact our [technical department](#) with any queries.

SERIP

Serip is a registered trademark. Copyright © 2023 Mário J. Pires - Serip. All rights reserved

<http://www.serip.com.pt> | info@serip.com.pt | +351 212 488 840

(Call cost to national fixed network)

OPTIONAL FINISHES

METAL FINISHES



Talha (TA)



Black (PR)



Palladium
(PL)



Silver/White
Patina
(FP/PB)



Silver (FP)



Gold/White
Patina
(FO/PB)



Gold (FO)



Copper (CO)



Lead (CH)

SERIP